



MEDIPLUS
INDIA LIMITED



www.mediplusindiaLtd.com



**saving lives
bringing smiles**





MEDIPLUS
INDIA LIMITED

Mediplus, a company where innovation meets precision in the field of healthcare. As a leading expert in this field, we take pride in delivering cutting-edge reliable solutions that redefine the standards of patient care. With years of experience and a team of skilled professionals, Mediplus is determined to scale new heights and set new technological benchmarks in the field of manufacturing Intra-vascular Catheters and other allied healthcare products. Our unwavering commitment to excellence ensures that healthcare providers have access to high-quality, dependable products that meet their evolving needs.

INNOVATION IN DESIGN

At Mediplus, innovation is at the core of everything we do. Our catheters are meticulously designed using state-of-the-art technology and high quality materials to provide optimal performance and patient comfort. We understand that every medical procedure is unique, and our diverse range of catheters reflects this commitment to versatility and adaptability.



ZERO DEFECT MANUFACTURING

Having a patient centric approach, Precision remains a focus for every single piece we manufacture. A hi-capacity fully automated assembly lines ensure precision manufacturing eliminating any scope of human error. processes adhere to the highest industry standards, ensuring consistent quality, safety, durability and functionality. So as to ensure the highest standards of cleanliness.... the injection moulding is done in CLASS 100,000 clean rooms.



At Mediplus, use of SAP software has enhanced industry specific manufacturing capability, in purchase & inventory management, improving plant efficiency that has also helped in optimizing cost and reducing wastage.

QUALITY YOU CAN TRUST

Our commitment to quality assurance with immaculate in- process quality control guarantees that healthcare providers can trust Mediplus products for their patients' well-being as every single piece undergoes a rigorous and stringent quality check to ensure global standards of performance and safety.

CUSTOMIZED SOLUTIONS

Recognizing the unique requirements of medical professionals, Mediplus offers customized solutions. Whether you need products for specific medical procedures or have specialized design preferences, our team is ready to collaborate with you to create tailored solutions that meet your exact specifications.

RANGE

Mediplus has an exhaustive and comprehensive range of Safety I.V. Catheters, I.V. Catheters, Infusion Therapy, to choose from that are specifically designed to maximize reliability, maintainability and sustainability.



Mediplus exports more than
70 Countries
across the globe that is a
testament to its excellence
and leadership in this field.

Global Quality Certifications

No wonder Mediplus has a host of national and international quality certifications ensuring technical competence, safety and performance of its products.

In our pursuit to meet the highest standard of quality, we are proud to possess 510 (K) PDA-USA, a Certification of global standard.

The 510 (K) certification ensures that the device to be marketed is safe and effective for its intended purpose post evaluating the detailed technical, safety and performance information about a medical device.

510 (K) Number : K210037
Regulation Number : 880.5200
Classification Product Code : FOZ





CERTIFICATES

Certificate IN15/92505

The management system of
Mediplus (India) Limited

1128-1/282, M.I.E., Part-B, Bahadurgarh, Haryana-124507, India

has been assessed and certified as meeting the requirements of

ISO 13485:2016
EN ISO 13485:2016

For the following activities

Design, Development, Manufacture & Sale of sterile Medical Devices for Infusion Therapy (I.V. Catheter, I.V. Catheter with Safety Feature, 3-Way Stop Cock, 3-Way Stop Cock with Extension Tubing, Injection Stopper, Male-Female Luer Lock, Luer Lock, Needle free injection valve) and for Dialysis (A.V. Fistula Needle/Set) & Pressure Monitoring Line / Extension tube

This certificate is valid from 09 January 2024 until 12 January 2027 and remains valid subject to satisfactory surveillance audits.
Issue 6, Certified since 12 January 2019

Certified activities performed by additional sites are listed on subsequent pages.

Jonah Hill

Authorised by
Jonah Hill
Global Head - Certification Services

SGS United Kingdom Ltd
Rosemead Business Park, Elmwood Park, Cheshire, CH65 9EN, UK
t +44 (0)121 3554666 - www.sgs.com

This document is an authentic electronic certificate for Client business purposes use only. Printed version of the electronic certificate are permitted and will be considered as a copy. This document is issued by the Company subject to SGS General Conditions of certification services available on [Terms and Conditions](#). SGS Attention shall be the limitation of liability, information and professional advice contained herein. This document is copyright protected and any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful.



Page 1 / 2

Certificate IN15/92505, continued

Mediplus (India) Limited

ISO 13485:2016
EN ISO 13485:2016

Issue 6
Sites
Mediplus (India) Limited Unit-1, 1128-1/282, M.I.E., Part-B, Bahadurgarh, Haryana-124507, India
Design, Development, Manufacture & Sale of sterile Medical Devices for Infusion Therapy (I.V. Catheter, I.V. Catheter with Safety Feature, 3-Way Stop Cock, 3-Way Stop Cock with Extension Tubing, Injection Stopper, Male-Female Luer Lock, Luer Lock, Needle free injection valve) and for Dialysis (A.V. Fistula Needle /Set) & Pressure Monitoring Line / Extension tube
Mediplus (India) Limited Unit-2, Plot no 32, Sector 16, HSIDC, Bahadurgarh, Haryana-124507, India
Manufacture & Sale of sterile Medical Devices for Infusion Therapy (I.V. Catheter, I.V. Catheter with Safety Feature, 3-Way Stop Cock, 3-Way Stop Cock with Extension Tubing, Injection Stopper, Male-Female Luer Lock, Luer Lock, Needle free injection valve) and for Dialysis (A.V. Fistula Needle/Set) & Pressure Monitoring Line / Extension tube

This document is an authentic electronic certificate for Client business purposes use only. Printed version of the electronic certificate are permitted and will be considered as a copy. This document is issued by the Company subject to SGS General Conditions of certification services available on [Terms and Conditions](#). SGS Attention shall be the limitation of liability, information and professional advice contained herein. This document is copyright protected and any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful.

Page 2 / 2

EU Quality Management System Certificate IN23/00001151

The management system of
Mediplus (India) Limited

1128-1/282, M.I.E., Part-B, Bahadurgarh, Haryana-124507, India
SRN Number: 844F-000-007279

has been assessed and certified as meeting the requirements of

MDR EU Quality Management System certificate (Annex IX QMS)

For the following products


The Scope of Registration appears on page 2 of this certificate

This certificate is valid from 10 November 2023 until 10 November 2028 and remains valid subject to satisfactory surveillance audits.
The certification audit was held on 10 May 2023
Issue 1, Certified since 10 November 2023

Certified activities performed by additional sites are listed on subsequent pages.

Jonah Hill

Authorised by
Jonah Hill
Global Medical Device Certification Manager
SGS Belgium NV 181 1831
SGS House Boulevard 87 2030 Antwerp Belgium
t +32 (0)3 5454640 - www.sgs.com

This document is an authentic electronic certificate for Client business purposes use only. Printed version of the electronic certificate are permitted and will be considered as a copy. This document is issued by the Company subject to SGS General Conditions of certification services available on [Terms and Conditions](#). SGS Attention shall be the limitation of liability, information and professional advice contained herein. This document is copyright protected and any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful.

Page 1 / 3 UK_MG_A_Version 2

EU Quality Management System Certificate IN23/00001151, continued

Mediplus (India) Limited

MDR EU Quality Management System certificate (Annex IX QMS)

Class (a) devices
MDN1202, MDS 1005

Sterile I.V. Catheters
(Basic: UDI-CH: 896025307CANNULAK6)
(Basic: UDI-CH: 896025307CANNULAKM)

Sterile I.V. Catheter with safety feature
(Basic: UDI-CH: 896025307CANNULAKM)

Sterile 3-way stop cock
(Basic: UDI-CH: 896025307WSC01)

Sterile 3-way stop cock with extension tubing
(Basic: UDI-CH: 896025307WSCVTEXT4)

Cross Sterile devices
MDN1202, MDS 1005

Sterile Single-use Injection Stopper (Basic: UDI-CH: 896025307STOPPER)

Sterile Single-use Male-Female Luer Lock (Basic: UDI-CH: 896025307MFLP)

Sterile Single-use Luer Lock (Basic: UDI-CH: 896025307LLC01)

Sterile Single-use Pressure Monitoring Line or High Pressure & Extension Tube
(Basic: UDI-CH: 896025307PMLM)

Sterile Single-use Needle-Free Valve (Unidirectional Valve & Bidirectional Valve)
(Basic: UDI-CH: 896025307NFMV)

Conditions for the validity of the certificate:
For products in the field, of Class II or Class III, the certificate is valid for 12 (twelve) years, subject to the certificate holder's compliance with the requirements of the MDR (EU) 2017/745 and the MDS 1005.

For Class I devices, audit done by SGS Belgium N.V. is limited to the specific aspect described in Article 52 section 7 of MDR (EU) 2017/745.

List of examinations and audits performed, which may include reference to relevant CS and harmonised standards, as per Annex IX, Chapter II, section 10 is available 'on request' per email to info@sgs.com.

Limitation:
N/A

Certification is based on following reports: - INQR/230607 - SGA 1.2
Authorized representative name and address (if relevant): Mediplus GmbH, Langenhagen Str. 71, D-30855, Langenhagen, Germany

Previous certificate number: N/A

Change in between this certificate and previous one: N/A

This document is an authentic electronic certificate for Client business purposes use only. Printed version of the electronic certificate are permitted and will be considered as a copy. This document is issued by the Company subject to SGS General Conditions of certification services available on [Terms and Conditions](#). SGS Attention shall be the limitation of liability, information and professional advice contained herein. This document is copyright protected and any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful.



Page 2 / 3 UK_MG_A_Version 2

EU Quality Management System Certificate IN23/00001151, continued

Mediplus (India) Limited

MDR EU Quality Management System certificate (Annex IX QMS)

Issue 1
Sites
Mediplus (India) Limited 1128-1/282, M.I.E., Part-B, Bahadurgarh, Haryana-124507, India
Mediplus (India) Limited Unit-2, Plot no 32, Sector 16, HSIDC, Bahadurgarh, Haryana-124507, India

This document is an authentic electronic certificate for Client business purposes use only. Printed version of the electronic certificate are permitted and will be considered as a copy. This document is issued by the Company subject to SGS General Conditions of certification services available on [Terms and Conditions](#). SGS Attention shall be the limitation of liability, information and professional advice contained herein. This document is copyright protected and any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful.

Page 3 / 3 UK_MG_A_Version 2

SAFETY INTRA VASCULAR CATHETERS

Key Features

- Passive full automatic system which cannot be bypassed
- Self-activation tip cover technology for protection against needle stick injuries, which cannot be bypassed
- Universal triple beveled back cut needle, which offer lower resistance during insertion, resulting in minimum trauma
- Catheter tip is designed for a smooth cannulation experience
Radiopaque stripes are also present for easy detection of catheter presence under X-Ray.
- Gauge wise color coding as per international standard
- Quick flash back confirms successful cannulation
- Universal 6% taper for compatibility with any other standard medical device
- DEHP / LATEX - Free





CE 1639

Catheter : FEP/PUR

Packing Details

- Inner Carton : 100 units
- Outer Carton : 1000 units

Pluski Safe 1[®]


Safety I.V. Catheter without injection port and wings is designed with Passive full automatic safety feature which covers the tip of the needle completely after use, hence protecting healthcare workers against the risk of needle stick injuries and related infections.



FDA
510(k)
US - FDA

NEEDLE

Siliconised and ground stainless steel needle with ultra-sharp triple facet bevel for smooth and painless veinpuncture.



CATHETER

Made of kink resistant and biocompatible material, with extremely smooth inner and outer surface to ensure easy venipuncture with minimum trauma.

S P E C I F I C A T I O N S

GAUGE	COLOUR	EXT DIA (mm)	LENGTH (mm)	WATER FLOW (ml/min.)	CATALOGUE NUMBER
14G	Orange	2.1	32	240	60514-1
14G	Orange	2.1	45	240	60514-2
16G	Grey	1.8	32	180	60516-1
16G	Grey	1.8	45	180	60516-2
18G	Green	1.3	32	90	60518-1
18G	Green	1.3	38	90	60518-2
18G	Green	1.3	45	90	60518-3
20G	Pink	1.1	25	60	60520-1
20G	Pink	1.1	32	60	60520-2
20G	Pink	1.1	38	60	60520-3
22G	Blue	0.9	19	36	60522-1
22G	Blue	0.9	25	36	60522-2
24G	Yellow	0.7	19	20	60524

- All age group.
- 22G-24G for Child, 14G-20G for Adult.

Pluski Safe®

Safety I.V. Catheter without injection port with wings is designed with a Passive full automatic safety feature which covers the tip of the needle completely after use, hence protecting healthcare workers against the risk of needle stick injuries and related infections.

Catheter:
- FEP/PUR


Packing Details :
- Inner Carton: 100 unit
- Outer Carton: 1000 unit



CE 1639

NEEDLE

Siliconised and ground stainless steel needle with ultra-sharp triple facet bevel for smooth and painless veinpuncture.



CATHETER

Made of kink resistant and biocompatible material, with extremely smooth inner and outer surface to ensure easy venipuncture with minimum trauma.

S P E C I F I C A T I O N S

GAUGE	COLOUR	EXT DIA (mm)	LENGTH (mm)	WATER FLOW (ml/min.)	CATALOGUE NUMBER
14G	Orange	2.1	32	240	57114-1
14G	Orange	2.1	45	240	57114-2
16G	Grey	1.8	32	180	57116-1
16G	Grey	1.8	45	180	57116-2
18G	Green	1.3	32	90	57118-1
18G	Green	1.3	38	90	57118-2
18G	Green	1.3	45	90	57118-3
20G	Pink	1.1	25	60	57120-1
20G	Pink	1.1	32	60	57120-2
20G	Pink	1.1	38	60	57120-3
22G	Blue	0.9	19	36	57122-1
22G	Blue	0.9	25	36	57122-2
24G	Yellow	0.7	19	20	57124

- All age group.
- 22G-24G for Child, 14G-20G for Adult.



Catheter:
- FEP/PUR

Packing Details :
- Inner Carton: 100 unit
- Outer Carton: 1000 unit

Pluski Safe 2[®]


Safety I.V. Catheter with injection port and wings is designed with a Passive full automatic safety feature which covers the tip of the needle completely after use, hence protecting healthcare workers against the risk of needle stick injuries and related infections.



CE 1639

NEEDLE

Siliconised and ground stainless steel needle with ultra-sharp triple facet bevel for smooth and painless veinpuncture.



CATHETER

Made of kink resistant and biocompatible material, with extremely smooth inner and outer surface to ensure easy venipuncture with minimum trauma.

S P E C I F I C A T I O N S

GAUGE	COLOUR	EXT DIA (mm)	LENGTH (mm)	WATER FLOW (ml/min.)	CATALOGUE NUMBER
14G	Orange	2.1	32	240	40414-1
14G	Orange	2.1	45	240	40414-2
16G	Grey	1.8	32	180	40416-1
16G	Grey	1.8	45	180	40416-2
18G	Green	1.3	32	90	40418-1
18G	Green	1.3	38	90	40418-2
18G	Green	1.3	45	90	40418-3
20G	Pink	1.1	25	60	40420-1
20G	Pink	1.1	32	60	40420-2
20G	Pink	1.1	38	60	40420-3
22G	Blue	0.9	19	36	40422-1
22G	Blue	0.9	25	36	40422-2
24G	Yellow	0.7	19	20	40424

- All age group.
- 22G-24G for Child, 14G-20G for Adult.



Plusflon Safe®

Safety I.V. Catheter with injection port and wings is designed with a Passive full automatic safety feature which covers the needle completely after use, hence ensuring the safety of healthcare workers against needle stick injuries. The click sound ensures the safety systems is in place and it cannot be bypassed.


Packing Details :

- Inner Carton: 100 unit
- Outer Carton: 1000 unit

CE 1639

NEEDLE

Siliconised and ground stainless steel needle with ultra-sharp triple facet bevel for smooth and painless venipuncture.




CATHETER

Made of kink resistant and biocompatible material, with extremely smooth inner and outer surface to ensure easy venipuncture with minimum trauma.

S P E C I F I C A T I O N S

GAUGE	COLOUR	EXT DIA (mm)	LENGTH (mm)	WATER FLOW (ml/min.)	CATALOGUE NUMBER
14G	Orange	2.1	32	240	43514-1
14G	Orange	2.1	45	240	43514-2
16G	Grey	1.8	32	180	43516-1
16G	Grey	1.8	45	180	43516-2
18G	Green	1.3	32	90	43518-1
18G	Green	1.3	38	90	43518-2
18G	Green	1.3	45	90	43518-3
20G	Pink	1.1	25	60	43520-1
20G	Pink	1.1	32	60	43520-2
20G	Pink	1.1	38	60	43520-3
22G	Blue	0.9	19	36	43522-1
22G	Blue	0.9	25	36	43522-2
24G	Yellow	0.7	19	20	43524

- All age group.
- 22G-24G for Child, 14G-20G for Adult.



Pluscan Alpha Safe®

Safety I.V. Catheter without injection port and wings is designed with Passive full automatic safety feature which covers the needle completely after use, hence ensuring the safety of healthcare workers against needle stick injuries. The click sound ensures the safety systems is in place and it cannot bypassed.

Catheter:

- FEP/PUR


Packing Details :

- Inner Carton: 100 unit
- Outer Carton: 1000 unit

CE 1639

NEEDLE

Siliconised and ground stainless steel needle with ultra-sharp triple facet bevel for smooth and painless veinpuncture.



CATHETER

Made of kink resistant and biocompatible material, with extremely smooth inner and outer surface to ensure easy venipuncture with minimum trauma.

S P E C I F I C A T I O N S

GAUGE	COLOUR	EXT DIA (mm)	LENGTH (mm)	WATER FLOW (ml/min.)	CATALOGUE NUMBER
14G	Orange	2.1	32	240	63214-1
14G	Orange	2.1	45	240	63214-2
16G	Grey	1.8	32	180	63216-1
16G	Grey	1.8	45	180	63216-2
18G	Green	1.3	32	90	63218-1
18G	Green	1.3	38	90	63218-2
18G	Green	1.3	45	90	63218-3
20G	Pink	1.1	25	60	63220-1
20G	Pink	1.1	32	60	63220-2
20G	Pink	1.1	38	60	63220-3
22G	Blue	0.9	19	36	63222-1
22G	Blue	0.9	25	36	63222-2
24G	Yellow	0.7	19	20	63224

- All age group.
- 22G-24G for Child, 14G-20G for Adult.



Plusclip Alpha Safe®

Safety I.V. Catheter without injection port and wings is designed with Passive full automatic safety feature which covers the tip of the needle completely after use, hence protecting healthcare workers against the risk of needle stick injuries and related infections.


Catheter:
- FEP/PUR

Packing Details :
- Inner Carton: 100 unit
- Outer Carton: 1000 unit

CE 1639

NEEDLE

Siliconised and ground stainless steel needle with ultra-sharp triple facet bevel for smooth and painless veinpuncture.



CATHETER

Made of kink resistant and biocompatible material, with extremely smooth inner and outer surface to ensure easy venipuncture with minimum trauma.

S P E C I F I C A T I O N S

GAUGE	COLOUR	EXT DIA (mm)	LENGTH (mm)	WATER FLOW (ml/min.)	CATALOGUE NUMBER
14G	Orange	2.1	32	240	62314-1
14G	Orange	2.1	45	240	62314-2
16G	Grey	1.8	32	180	62316-1
16G	Grey	1.8	45	180	62316-2
18G	Green	1.3	32	90	62318-1
18G	Green	1.3	38	90	62318-2
18G	Green	1.3	45	90	62318-3
20G	Pink	1.1	25	60	62320-1
20G	Pink	1.1	32	60	62320-2
20G	Pink	1.1	38	60	62320-3
22G	Blue	0.9	19	36	62322-1
22G	Blue	0.9	25	36	62322-2
24G	Yellow	0.7	19	20	62324

- All age group.
- 22G-24G for Child, 14G-20G for Adult.



Plusclip Safe®

Safety I.V. Catheter with injection port and wings is designed with a Passive full automatic safety feature which covers the tip of the needle completely after use, hence protecting healthcare workers against the risk of needle stick injuries and related infections.


Catheter:
- FEP/PUR

Packing Details :
- Inner Carton: 100 unit
- Outer Carton: 1000 unit

CE 1639

NEEDLE

Siliconised and ground stainless steel needle with ultra-sharp triple facet bevel for smooth and painless veinpuncture.



CATHETER

Made of kink resistant and biocompatible material, with extremely smooth inner and outer surface to ensure easy venipuncture with minimum trauma.

S P E C I F I C A T I O N S

GAUGE	COLOUR	EXT DIA (mm)	LENGTH (mm)	WATER FLOW (ml/min.)	CATALOGUE NUMBER
14G	Orange	2.1	32	240	42114-1
14G	Orange	2.1	45	240	42114-2
16G	Grey	1.8	32	180	42116-1
16G	Grey	1.8	45	180	42116-2
18G	Green	1.3	32	90	42118-1
18G	Green	1.3	38	90	42118-2
18G	Green	1.3	45	90	42118-3
20G	Pink	1.1	25	60	42120-1
20G	Pink	1.1	32	60	42120-2
20G	Pink	1.1	38	60	42120-3
22G	Blue	0.9	19	36	42122-1
22G	Blue	0.9	25	36	42122-2
24G	Yellow	0.7	19	20	42124

- All age group.
- 22G-24G for Child, 14G-20G for Adult.

INTRA VASCULAR CATHETERS

The IV catheter is integral to modern medicine. It is used hundreds, if not thousands of times a day in a hospital. The type of IV catheter that is being used is important. The medical professional who is obtaining the venous access needs to be fully confident that there are no flaws with the medical device they are using. This allows them to be sure of themselves and completes their task seamlessly and effectively.

Key Features

- Universal triple beveled back cut needle, which offer lower resistance during insertion, resulting in minimum trauma
- Catheter tip is designed for smooth cannulation experience, Radiopaque Stripes are also present for easy detection of catheter presence under X-Ray
- Injection port with non-return valve stops backflow of medicine after injection
- Quick Flash back confirms successful cannulation
- Gauge wise color coding as per international standard
- Universal 6% taper for compatibility with any other standard medical device
- DEHP / LATEX - Free





Plusflon®

I.V. Catheter with injection port and wings is designed to give extra medication through port, the wings provides the stability of the catheter while in use. Plusflon can be used for adults, pediatrics and neonates.

Catheter : FEP/PUR


Packing Details

- Inner Carton : 100 units
- Outer Carton : 1000 units

CE 1639

NEEDLE

Siliconised and ground stainless steel needle with ultra-sharp triple facet bevel for smooth and painless veinpuncture.




CATHETER

Made of kink resistant and biocompatible material, with extremely smooth inner and outer surface to ensure easy venipuncture with minimum trauma.

S P E C I F I C A T I O N S

GAUGE	COLOUR	EXT DIA (mm)	LENGTH (mm)	WATER FLOW (ml/min.)	CATALOGUE NUMBER
14G	Orange	2.1	32	240	10114-1
14G	Orange	2.1	45	240	10114-2
16G	Grey	1.8	32	180	10116-1
16G	Grey	1.8	45	180	10116-2
18G	Green	1.3	32	90	10118-1
18G	Green	1.3	38	90	10118-2
18G	Green	1.3	45	90	10118-3
20G	Pink	1.1	25	60	10120-1
20G	Pink	1.1	32	60	10120-2
20G	Pink	1.1	38	60	10120-3
22G	Blue	0.9	19	36	10122-1
22G	Blue	0.9	25	36	10122-2
24G	Yellow	0.7	19	20	10124
26G	Purple	0.6	19	13	10126

- All age group.
- 26G for Neonatal, 22G-24G for Child, 14G-20G for Adult.



Plusvein®

I.V. Catheter with flip open injection port and wings is designed to give extra medication through port, the wings provides the stability of the catheter while in use. Plusvein can be used for adults, pediatrics and neonates.

Catheter : FEP/PUR


Packing Details

- Inner Carton : 100 units
- Outer Carton : 1000 units

CE 1639

NEEDLE

Siliconised and ground stainless steel needle with ultra-sharp triple facet bevel for smooth and painless veinpuncture.




CATHETER

Made of kink resistant and biocompatible material, with extremely smooth inner and outer surface to ensure easy venipuncture with minimum trauma.

S P E C I F I C A T I O N S

GAUGE	COLOUR	EXT DIA (mm)	LENGTH (mm)	WATER FLOW (ml/min.)	CATALOGUE NUMBER
14G	Orange	2.1	32	240	13514-1
14G	Orange	2.1	45	240	13514-2
16G	Grey	1.8	32	180	13516-1
16G	Grey	1.8	45	180	13516-2
18G	Green	1.3	32	90	13518-1
18G	Green	1.3	38	90	13518-2
18G	Green	1.3	45	90	13518-3
20G	Pink	1.1	25	60	13520-1
20G	Pink	1.1	32	60	13520-2
20G	Pink	1.1	38	60	13520-3
22G	Blue	0.9	19	36	13522-1
22G	Blue	0.9	25	36	13522-2
24G	Yellow	0.7	19	20	13524
26G	Purple	0.6	19	13	13526

- All age group.
- 26G for Neonatal, 22G-24G for Child, 14G-20G for Adult.



Plusneo®

I.V. Catheter without injection port with very small wings is designed especially for soft and small vein cannulation of neonates. Plusneo can be used for pediatrics also.

Catheter : FEP/PUR


Packing Details

- Inner Carton : 100 units
- Outer Carton : 1000 units

CE 1639

NEEDLE

Siliconised and ground stainless steel needle with ultra-sharp triple facet bevel for smooth and painless veinpuncture.




CATHETER

Made of kink resistant and biocompatible material, with extremely smooth inner and outer surface to ensure easy venipuncture with minimum trauma.

S P E C I F I C A T I O N S

GAUGE	COLOUR	EXT DIA (mm)	LENGTH (mm)	WATER FLOW (ml/min.)	CATALOGUE NUMBER
24G	Yellow	0.70	19	20	20224
26G	Purple	0.60	19	13	20226

- All age group.
- 26G for Neonatal, 24G for Child.



Pluscan®

I.V. Catheter without injection port with wings is designed with short flat wings for perfect grip and control over the catheter while in use. Pluscan can be used for adults, pediatrics and neonates.

Catheter : FEP/PUR


Packing Details

- Inner Carton : 100 units
- Outer Carton : 1000 units

CE 1639

NEEDLE

Siliconised and ground stainless steel needle with ultra-sharp triple facet bevel for smooth and painless veinpuncture.




CATHETER

Made of kink resistant and biocompatible material, with extremely smooth inner and outer surface to ensure easy venipuncture with minimum trauma.

S P E C I F I C A T I O N S

GAUGE	COLOUR	EXT DIA (mm)	LENGTH (mm)	WATER FLOW (ml/min.)	CATALOGUE NUMBER
14G	Orange	2.1	32	240	26M14-1
14G	Orange	2.1	45	240	26M14-2
16G	Grey	1.8	32	180	26M16-1
16G	Grey	1.8	45	180	26M16-2
18G	Green	1.3	32	90	26M18-1
18G	Green	1.3	38	90	26M18-2
18G	Green	1.3	45	90	26M18-3
20G	Pink	1.1	25	60	26M20-1
20G	Pink	1.1	32	60	26M20-2
20G	Pink	1.1	38	60	26M20-3
22G	Blue	0.9	19	36	26M22-1
22G	Blue	0.9	25	36	26M22-2
24G	Yellow	0.7	19	20	26M24
26G	Purple	0.6	19	13	26M26

- All age group.
- 26G for Neonatal, 22G-24G for Child, 14G-20G for Adult.



Pluswin®

I.V. Catheter without injection port with wings is designed with short flat wings for perfect grip and control over the catheter while in use. Pluswin can be used for adults, pediatrics and neonates.

Catheter : FEP/PUR


Packing Details

- Inner Carton : 100 units
- Outer Carton : 1000 units

CE 1639

NEEDLE

Siliconised and ground stainless steel needle with ultra-sharp triple facet bevel for smooth and painless veinpuncture.



CATHETER

Made of kink resistant and biocompatible material, with extremely smooth inner and outer surface to ensure easy venipuncture with minimum trauma.

S P E C I F I C A T I O N S

GAUGE	COLOUR	EXT DIA (mm)	LENGTH (mm)	WATER FLOW (ml/min.)	CATALOGUE NUMBER
14G	Orange	2.1	32	240	26014-1
14G	Orange	2.1	45	240	26014-2
16G	Grey	1.8	32	180	26016-1
16G	Grey	1.8	45	180	26016-2
18G	Green	1.3	32	90	26018-1
18G	Green	1.3	38	90	26018-2
18G	Green	1.3	45	90	26018-3
20G	Pink	1.1	25	60	26020-1
20G	Pink	1.1	32	60	26020-2
20G	Pink	1.1	38	60	26020-3
22G	Blue	0.9	19	36	26022-1
22G	Blue	0.9	25	36	26022-2
24G	Yellow	0.7	19	20	26024
26G	Purple	0.6	19	13	26026

- All age group.
- 26G for Neonatal, 22G-24G for Child, 14G-20G for Adult.



Pluswin Alpha®

I.V. Catheter without injection port and wings is designed with broad needle hub for perfect grip and control over the catheter while in use. Pluswin Alpha can be used for adults, pediatrics and neonates.

Catheter : FEP/PUR


Packing Details

- Inner Carton : 100 units
- Outer Carton : 1000 units

CE 1639

NEEDLE

Siliconised and ground stainless steel needle with ultra-sharp triple facet bevel for smooth and painless veinpuncture.



CATHETER

Made of kink resistant and biocompatible material, with extremely smooth inner and outer surface to ensure easy venipuncture with minimum trauma.

S P E C I F I C A T I O N S

GAUGE	COLOUR	EXT DIA (mm)	LENGTH (mm)	WATER FLOW (ml/min.)	CATALOGUE NUMBER
14G	Orange	2.1	32	240	36P14-1
14G	Orange	2.1	45	240	36P14-2
16G	Grey	1.8	32	180	36P16-1
16G	Grey	1.8	45	180	36P16-2
18G	Green	1.3	32	90	36P18-1
18G	Green	1.3	38	90	36P18-2
18G	Green	1.3	45	90	36P18-3
20G	Pink	1.1	25	60	36P20-1
20G	Pink	1.1	32	60	36P20-2
20G	Pink	1.1	38	60	36P20-3
22G	Blue	0.9	19	36	36P22-1
22G	Blue	0.9	25	36	36P22-2
24G	Yellow	0.7	19	20	36P24
26G	Purple	0.6	19	13	36P26

- All age group.
- 26G for Neonatal, 22G-24G for Child, 14G-20G for Adult.



Pluscath®

I.V. Catheter without injection port and wings is designed with broad needle hub for perfect grip and control over the catheter while in use. Pluscath can be used for adults, pediatrics and neonates.

Catheter : FEP/PUR


Packing Details

- Inner Carton : 100 units
- Outer Carton : 1000 units

CE 1639

NEEDLE

Siliconised and ground stainless steel needle with ultra-sharp triple facet bevel for smooth and painless veinpuncture.



CATHETER

Made of kink resistant and biocompatible material, with extremely smooth inner and outer surface to ensure easy venipuncture with minimum trauma.

S P E C I F I C A T I O N S

GAUGE	COLOUR	EXT DIA (mm)	LENGTH (mm)	WATER FLOW (ml/min.)	CATALOGUE NUMBER
14G	Orange	2.1	32	240	32G14-1
14G	Orange	2.1	45	240	32G14-2
16G	Grey	1.8	32	180	32G16-1
16G	Grey	1.8	45	180	32G16-2
18G	Green	1.3	32	90	32G18-1
18G	Green	1.3	38	90	32G18-2
18G	Green	1.3	45	90	32G18-3
20G	Pink	1.1	25	60	32G20-1
20G	Pink	1.1	32	60	32G20-2
20G	Pink	1.1	38	60	32G20-3
22G	Blue	0.9	19	36	32G22-1
22G	Blue	0.9	25	36	32G22-2
24G	Yellow	0.7	19	20	32G24
26G	Purple	0.6	19	13	32G26

- All age group.
- 26G for Neonatal, 22G-24G for Child, 14G-20G for Adult.



Pluspen®

I.V. Catheter without injection port and wings comes in pen type packing designed with broad needle hub for perfect grip and control over the catheter while in use. Pluspen can be used for adults, pediatrics and neonates.

Catheter : FEP/PUR


Packing Details

- Inner Carton : 100 units
- Outer Carton : 1000 units

CE 1639

NEEDLE

Siliconised and ground stainless steel needle with ultra-sharp triple facet bevel for smooth and painless veinpuncture.



CATHETER

Made of kink resistant and biocompatible material, with extremely smooth inner and outer surface to ensure easy venipuncture with minimum trauma.

S P E C I F I C A T I O N S

GAUGE	COLOUR	EXT DIA (mm)	LENGTH (mm)	WATER FLOW (ml/min.)	CATALOGUE NUMBER
14G	Orange	2.1	32	240	35614-1
14G	Orange	2.1	45	240	35614-2
16G	Grey	1.8	32	180	35616-1
16G	Grey	1.8	45	180	35616-2
18G	Green	1.3	32	90	35618-1
18G	Green	1.3	38	90	35618-2
18G	Green	1.3	45	90	35618-3
20G	Pink	1.1	25	60	35620-1
20G	Pink	1.1	32	60	35620-2
20G	Pink	1.1	38	60	35620-3
22G	Blue	0.9	19	36	35622-1
22G	Blue	0.9	25	36	35622-2
24G	Yellow	0.7	19	20	35624
26G	Purple	0.6	19	13	35626

- All age group.
- 26G for Neonatal, 22G-24G for Child, 14G-20G for Adult.



Pluscan Alpha®

I.V. Catheter without injection port and wings is designed with broad needle hub for perfect grip and control over the catheter while in use. Pluscan Alpha can be used for adults, pediatrics and neonates.

Catheter : FEP/PUR


Packing Details

- Inner Carton : 100 units
- Outer Carton : 1000 units

CE 1639

NEEDLE

Siliconised and ground stainless steel needle with ultra-sharp triple facet bevel for smooth and painless veinpuncture.



CATHETER

Made of kink resistant and biocompatible material, with extremely smooth inner and outer surface to ensure easy venipuncture with minimum trauma.

S P E C I F I C A T I O N S

GAUGE	COLOUR	EXT DIA (mm)	LENGTH (mm)	WATER FLOW (ml/min.)	CATALOGUE NUMBER
14G	Orange	2.1	32	240	36Q14-1
14G	Orange	2.1	45	240	36Q14-2
16G	Grey	1.8	32	180	36Q16-1
16G	Grey	1.8	45	180	36Q16-2
18G	Green	1.3	32	90	36Q18-1
18G	Green	1.3	38	90	36Q18-2
18G	Green	1.3	45	90	36Q18-3
20G	Pink	1.1	25	60	36Q20-1
20G	Pink	1.1	32	60	36Q20-2
20G	Pink	1.1	38	60	36Q20-3
22G	Blue	0.9	19	36	36Q22-1
22G	Blue	0.9	25	36	36Q22-2
24G	Yellow	0.7	19	20	36Q24
26G	Purple	0.6	19	13	36Q26

- All age group.
- 26G for Neonatal, 22G-24G for Child, 14G-20G for Adult.



Plusway®

3 Way Stop Cock designed to be used with many single use infusion and transfusion devices to provide multi channels for medicine or fluids to the patient.

CE 1639

S P E C I F I C A T I O N S

- Fully Transparent body made of Medical Grade Biocompatible Polycarbonates that allows clear visualization of flow of fluids.
- Tested for smooth, laminar and leak-proof flow up to 6 bar (87 psi) pressure.
- Universal 6% taper for compatibility with any other standard medical device.

COLOUR CODE	ROTATING ADAPTER	LATEX FREE	DEHP FREE	UNIT PER BOX	CATALOGUE NUMBER
BLUE	✓	✓	✓	50	C1803
RED	✓	✓	✓	50	C1804
WHITE	✓	✓	✓	50	C1805



Pluswayet®


3 Way Stop Cock with Extension Tube designed to be used with many single use infusion and transfusion devices to provide multi channels for medicine or fluids to the patient.

CE 1639

S P E C I F I C A T I O N S

- Fully Transparent body made of Medical Grade Biocompatible Polycarbonates that allows clear visualization of flow of fluids.
- High Quality Kink-Resistant Tubing with smooth inner surfaces for laminar, non-turbulent flow.
- Universal 6% taper for compatibility with any other standard medical device.
- Non-Pyrogenic, for single use only.

COLOUR CODE	ROTATING ADAPTER	LATEX FREE	DEHP FREE	TUBE LENGTH (CM)	CATALOGUE NUMBER
BLUE	✓	✓	✓	10CM	D001A
BLUE	✓	✓	✓	20CM	D001B
BLUE	✓	✓	✓	25CM	D001C
BLUE	✓	✓	✓	50CM	D001D
BLUE	✓	✓	✓	100CM	D001E
BLUE	✓	✓	✓	150CM	D001F
BLUE	✓	✓	✓	200CM	D001G
BLUE	✓	✓	✓	250CM	D001H
BLUE	✓	✓	✓	300CM	D001I



Pluset®

Extension tube is to be used to connect any infusion or transfusion devices in order to allow for attachment with any special or general purpose medical device.

CE 1639

COLOUR CODE	ROTATING ADAPTER	LATEX FREE	DEHP FREE	TUBE LENGTH (CM)	CATALOGUE NUMBER
TRANSPARENT	✓	✓	✓	10CM	E011A
TRANSPARENT	✓	✓	✓	20CM	E011B
TRANSPARENT	✓	✓	✓	25CM	E011C
TRANSPARENT	✓	✓	✓	50CM	E011D
TRANSPARENT	✓	✓	✓	100CM	E011E
TRANSPARENT	✓	✓	✓	150CM	E011F
TRANSPARENT	✓	✓	✓	200CM	E011G
TRANSPARENT	✓	✓	✓	250CM	E011H
TRANSPARENT	✓	✓	✓	300CM	E011I

Luer lock



It is single end luer lock which is used as a male stopper. Stopper maintains a sterile closing of female port accessed after use. The device provides a non-injectable end cap and it is easy to apply and remove.

CE 1639

COLOUR CODE	LATEX FREE	DEHP FREE	UNIT PER BOX	CATALOGUE NUMBER
WHITE	✓	✓	250	G0105



Bi-Directional Valve

Needle – Free Connector is a single use device to use with syringe and IV Catheter for giving fluids and medicine.

CE 1639

S P E C I F I C A T I O N S

- For Giving Medicines and taking out fluids from the body
- DEHP/ LATEX –FREE
- Color- Transparent



Uni-Directional Valve

Needle – Free Connector is a single use device to use with syringe and IV Catheter for giving fluids and medicine.

CE 1639

S P E C I F I C A T I O N S

- To give Medicines
- DEHP/ LATEX –FREE
- Color- Transparent



Injection Stopper

Injection Stopper is an auxiliary product that is used in conjunction with some other product during infusion therapy. This stopper has two fold functions; to serve as a protective stopper for any standard "female luer" and to provide a port for Drug Administration into the catheter without unscrew it. Injection Stopper is used for Administration of sterile injectable fluids, including pharmaceutical agents, with use of syringe and hypodermic needle, after connecting injection stopper to IV access device.

CE 1639

COLOUR CODE	LATEX FREE	DEHP FREE	UNIT PER BOX	CATALOGUE NUMBER
YELLOW	✓	✓	250	B140C
TRANSPARENT	✓	✓	250	B140D



Male/Female Luer Lock

It is a duel end male / female luer lock. Easy to apply and remove. Ideal for use in emergency room and operating room because it saves time required for identification of male/female stopper. The device provides a non-injectable end cap.

CE 1639

COLOUR CODE	LATEX FREE	DEHP FREE	UNIT PER BOX	CATALOGUE NUMBER
RED	✓	✓	250	A0004



OUR GLOBAL PRESENCE

MARKETING HQ

Unit No. 213, 2nd Floor, Best Business Park, Plot No. P-2, Netaji Subhash Place, Pitampura, Delhi-110034 (India)
Phone : +91-11-47047481, 49046544 Mail : sales@mediplusindia ltd.com

UNIT 1

1261-1262, MIE Part-B, Bahadurgarh, Haryana - 124507 (India)
Phone : +91-11-49046544 Mail : info@mediplusindia ltd.com

UNIT 2

Plot No. 32, Sector-16, HSIIDC Industrial Estate, Bahadurgarh, Haryana - 124507 (India)
Phone : +91-11-47047481 Mail : info@mediplusindia ltd.com

LATAM / USA CONTACT:

Phone : (+1) 786-356-4203 Mail : perla@mediplusindia ltd.com
Phone : (+1) 786-310-8517 Mail : silvia@mediplusindia ltd.com

In pursuit of continual improvement, we reserve the right to change the design and specifications of any of our products without prior notice.

Mediplus India Limited 2021. All rights reserved. Unless otherwise specified, no part of this catalogue may be reproduced or utilized in any form or by any means or mechanical, without permission in writing from Mediplus (India) Limited.



MEDIPLUS
INDIA LIMITED

+91 11 27353189

+91 11 47047481

info@mediplusindia ltd.com
www.mediplusindia ltd.com

Cat. No.- MIL/20/2024

Rev. No.- 22

Dated:04/05/2024